



WarmlyYours

2016/2017 Product Catalog





ABOUT

WARMLYYOURS HEATING

Frequently, we are asked how we chose the name of our company. When we began as an electric radiant heating products business more than 15 years ago, we wanted a name that would embody the very essence of our business philosophy — treat our customers well and offer the very best floor-warming systems and services in the industry. And above all else, always deliver on those promises to our customers.

The name WarmlyYours reflects our deep, personal commitment to providing our customers with the exceptional customer service that they deserve. We welcome any questions and relish the opportunity to provide our customers with prompt and friendly assistance. Listening to feedback from thousands of homeowners and installers, we continue to improve on everything we do in our effort to better serve our customers. As a result, we have expanded our portfolio to include other radiant heating products — such as towel warmers and radiant panels — to bring comfort and affordable luxury to all areas of the home.



WarmlyYours has locations in both the United States and Canada. Throughout North America, our customers recognize our commitment to exceptional service and product quality.

99% ★★★★★
of our customers report complete satisfaction
with our service

97% ★★★★★
of our customers report complete confidence in
our product quality



RADIANTLY YOURS

At WarmlyYours, we are proud to offer a radiant solution for every area of life. From our flagship product, our electric floor heating systems, to our outdoor snow melting and deicing options, our award-winning LAVA® radiant panels and complete electric towel warmer collection, we are confident that you will find every need more than matched by our range of high-quality products.

Each product is designed to install easily and includes 24/7 technical support, saving you time and money. Your dedicated account manager is there to support you with a quotation and custom installation plan within 24 hours, and we'll ship your order the very same day you place it. We promise you that our focus on customer service beats any other company in the industry.

Julia Billen – President & Owner



Floor Heating

- TempZone™*
- Environ™*
- Slab-Heating*
- Controls*
- Underlayments*
- Accessories*

1-28



Snow Melting

- Mats*
- Cables*
- Controls*
- Ice Shield Roof and Gutter Deicing*

29-36



Comfort Products

- Towel Warmers*
- LAVA® and Ember*
- Radiant Heating Panels*
- ClearlyYou™ Mirror Defoggers*
- FeelsWarm® Countertop Heaters*
- Controls*

37-52



Merchandising

- Heated Tabletop Display*
- Take-One Brochures*
- Showroom In-floor Display Package*
- Showroom Outdoor Display Package*

53-55



THE WARMLY YOURS ADVANTAGE

With trusted industry experience, 15 years in business, WarmlyYours, located in the U.S. and Canada, offers the industry's most innovative, energy-efficient, and maintenance-free electric radiant heating solutions for virtually any flooring surface and any room. We offer a full collection of radiant products, from floor heating and snow melting to towel warmers and our "Best of Show" KBIS 2011 award-winning product, LAVA® infrared glass heating panels, there is a product that fits every client's need and style.

We are committed to serving you with the exceptional service and product quality that you deserve.

THE WARMLYYOURS SMARTPLAN™

Because life is easier when you have a plan.

WarmlyYours has condensed over 15 years of radiant heating experience into our FREE, no obligation SmartPlans™. Whether you're installing floor heating or a snow melting system, a WarmlyYours SmartPlan™ makes sure your project starts off right and finishes strong.


These complimentary packages, compiled by a team of skilled engineers, include:

- An itemized product quote so you know the exact pricing for your project.
- An electrical plan that tells you exactly what's needed to get your system up and running.
- An installation plan that gives detailed information to cut down on time and effort.

All you have to do to take advantage of this service is to provide WarmlyYours with a simple floor plan sketch, and you'll receive your SmartPlan™, typically within 24 hours. Anyone can draw a floor plan sketch—it doesn't have to be fancy, it just has to show the room's dimensions and note any permanent fixtures like tubs, cabinets, or air-vents.

You can send your floor plan sketch to WarmlyYours by:

- drawing or uploading it directly to the WarmlyYours Instant Quote Tool,
- faxing it to us at (800) 408-1100,
- scanning or taking a photo and emailing the file to us at info@WarmlyYours.com.



START OFF RIGHT...

With our trusted experience in producing high-quality, innovative radiant heat products, we not only make comfort attainable, but we make the whole experience easy for you to provide radiant warmth for your clients.

Instant Quote (IQ) Tool

We put the estimating power directly into your hands, giving you the ability to add a smart, easy-to-use floor heating calculator tool, customized for FREE, to your own website, for all floor heating quote estimates. With this, you will reinforce your clients' confidence in purchasing WarmlyYours electric radiant floor heating products from you, giving you the power to better serve your customers with your floor heating estimates.

Heat Loss Calculator

Can electric floor heating be the primary heat source in your project? Now it's easier than ever to find out the answer with the WarmlyYours Heat Loss Calculator. With just a few details about your project, this free online tool will estimate how much heat is being lost in a room and if electric floor heating can be the primary heat source.

Operating Cost Calculator

Input the size of the area that you would like to heat, along with the cost of the kWh in your state, and we'll tell you how much it will cost to heat the room or area, so that you can easily and accurately provide this information to your client.

Same Day Shipping

Order before 4:00 PM Central Standard Time (in U.S. and Canada), and we'll ship that day, so you can keep your projects moving.

FINISH STRONG...

Industry Leading 24/7 Installation Support

We're here for you. Call us anytime – day or night, weekday or weekend – with any questions or installation challenges. That's our commitment to you and your business.

WarmlyYours No Nonsense™ Warranty

WarmlyYours No Nonsense™ Warranty is the most comprehensive warranty in the industry. We guarantee our products to be free from defects in material and workmanship for 25 (TempZone™) and 5-10 (Environ™) years from the date of purchase. Because we don't prorate your coverage, you have the same coverage over the entire life of the warranty. Unlike other companies, WarmlyYours will cover the cost of the warming roll AND the floor covering material AND labor in the event of a defect.

No Restocking Fees

At WarmlyYours, we do not have restocking fees for any of our products.

Open Return Policy

Our open return policy is simple—there are no time limits. If we still sell the product and it's in resalable condition, you may return it at any time—even years later. We know that life doesn't always run according to an ideal schedule, and at WarmlyYours, you come first.

Our No Nonsense™ Warranty is renowned for being an industry best: we will cover not only the cost of labor, but also the cost of the floor itself.






TEMPZONE™

CUSTOM MATS



TempZone™ Custom Mats allow for faster, simpler installations. Designed perfectly to fit exact dimensions and provide the optimal fit for any shaped room, our custom mats are made to follow curves and angles with ease.

- Full coverage for any size space, such as bathrooms, kitchens, living rooms or basements
- Easiest installation, no cut and turns required
- Customized, perfect fit for your specific room design
- 12-15 watts per square foot, 1/8" thick
- ETL Listed



How To Order

The TempZone™ Custom Mats are tailored to perfectly fit the exact dimensions of your room. Because these are custom, made-to-order mats, they are not available for direct order online. So we thought we'd provide you with a few steps that we recommend to help you purchase and begin enjoying your floor heating as soon as possible.

Call a WarmlyYours Sales Representative

The first step is to contact a representative, who will provide expert support throughout the process. Call us today at (800) 875-5285.

Accurately Measure the Space

To ensure optimal fit for your custom mat, be sure to have accurate measurements of the room you want to heat. If you have any questions about how to measure a room for floor heating, give our Installation Support team a call at (800) 875-5285.

Get an Installation Plan and Free Quote

Once you have completed your measurements and sent them to your WarmlyYours rep, we'll send those measurements to our skilled engineers, who will create a customized installation SmartPlan™ with a free, no obligation quote for your TempZone™ Custom Mat.

Place Your Order

After receiving the measurements and SmartPlan™, it's time to place your order. For our custom mats, expect one week, plus shipping time, for design and production of your mat.


Here is a list of estimated prices for TempZone™ Custom Mats based on square footage:

AREA (sq. ft.)	COST
8-20	\$180.00-\$300.00
21-40	\$305.00-\$506.00
41-60	\$472.00-\$684.00
70-100	\$798.00-\$1,330.00
120-180	\$1,140.00-\$2,394.00
200-250	\$2,280.00-\$3,325.00
300-500	\$3,420.00-\$6,650.00



TEMPZONE™

FLEX Rolls



TempZone™ Flex technology is made specifically for full coverage. The evenly spaced, 3” serpentine loop design delivers more heating capacity and faster floor warm-ups than most competitive systems. Less than 1/8” thick, it installs easily under tile, stone and marble flooring.

- Energy efficient -- warms a large room for pennies a day
- 25-Year No Nonsense™ Warranty
- Twin conductor
- Circuit Check available to ensure fault-free installation
- c-UL-us Listed

** TempZone™ Flex Rolls, Easy Mats and Cables are tested and certified to the Canadian CSA standard for wet locations.*

120 Volt TEMPZONE™ Flex Rolls

For tile, stone and hardwood floor warming applications

CODE	DIMENSIONS	SQ.FT.	WATTS	AMPS
TRT120-1.5x04	1.5' x 4'	6.0	90	0.80
TRT120-1.5x06	1.5' x 6'	9.0	135	1.20
TRT120-1.5x09	1.5' x 9'	13.5	203	1.70
TRT120-1.5x12	1.5' x 12'	18.0	270	2.30
TRT120-1.5x15	1.5' x 15'	22.5	338	2.90
TRT120-1.5x18	1.5' x 18'	27.0	405	3.40
TRT120-1.5x21	1.5' x 21'	31.5	473	4.00
TRT120-1.5x24	1.5' x 24'	36.0	540	4.50
TRT120-1.5x27	1.5' x 27'	40.5	608	5.10
TRT120-1.5x30	1.5' x 30'	45.0	675	5.70
TRT120-1.5x33	1.5' x 33'	49.5	743	6.20
TRT120-1.5x38	1.5' x 38'	57.0	855	7.20
TRT120-1.5x43	1.5' x 43'	64.5	968	8.10
TRT120-1.5x48	1.5' x 48'	72.0	1,080	9.00
TRT120-1.5x52	1.5' x 52'	78.0	1,170	9.80
TRT120-1.5x56	1.5' x 56'	84.0	1,260	10.50
TRT120-1.5x60	1.5' x 60'	90.0	1,350	11.25
TRT120-1.5x66	1.5' x 66'	99.0	1,485	12.38
TRT120-1.5x70	1.5' x 70'	105.0	1,575	13.13

240 Volt TEMPZONE™ Flex Rolls


For tile, stone and hardwood floor warming applications

CODE	DIMENSIONS	SQ.FT.	WATTS	AMPS
TRT240-1.5x8	1.5' x 8'	12.0	180	0.80
TRT240-1.5x14	1.5' x 14'	21.0	315	1.40
TRT240-1.5x17	1.5' x 17'	25.5	383	1.60
TRT240-1.5x22	1.5' x 22'	33.0	495	2.10
TRT240-1.5x29	1.5' x 29'	43.5	653	2.80
TRT240-1.5x36	1.5' x 36'	54.0	810	3.40
TRT240-1.5x42	1.5' x 42'	63.0	945	4.00
TRT240-1.5x46	1.5' x 46'	69.0	1,035	4.40
TRT240-1.5x49	1.5' x 49'	73.5	1,103	4.60
TRT240-1.5x54	1.5' x 54'	81.0	1,215	5.10
TRT240-1.5x57	1.5' x 57'	85.5	1,283	5.35
TRT240-1.5x66	1.5' x 66'	99.0	1,485	6.20
TRT240-1.5x76	1.5' x 76'	114.0	1,710	7.20
TRT240-3.0x43	3.0' x 43'	129.0	1,935	8.10
TRT240-3.0x48	3.0' x 48'	144.0	2,160	9.00
TRT240-3.0x52	3.0' x 52'	156.0	2,340	9.80
TRT240-3.0x60	3.0' x 60'	180.0	2,700	11.25
TRT240-3.0x70	3.0' x 70'	210.0	3,150	13.13



TEMPZONE™

EASY MATS



TempZone™ Easy Mats are made for economy coverage. Utilizing the same TempZone™ technology, they are designed to warm the most utilized areas in front of the bathroom vanity or in an entryway foyer. Easy Mats™ are a cost-effective way to naturally warm up cold tile and stone. It's the perfect choice for bathrooms, kitchens, and foyers.


- Energy efficient -- warms up a large room for pennies a day
- 25-Year No Nonsense™ Warranty
- Twin conductor
- Circuit Check available to ensure fault-free installation
- c-UL-us Listed

* TempZone™ Flex Rolls, Easy Mats and Cables are tested and certified to the Canadian CSA standard for wet locations.

120 Volt TEMPZONE™ Easy Mat

For tile and stone floor warming applications

CODE	DIMENSIONS	SQ.FT.	WATTS	AMPS
TRT120-3.0x02	3' x 2'	6.0	90	0.75
TRT120-3.0x03	3' x 3'	9.0	135	1.13
TRT120-3.0x05	3' x 5'	15.0	225	1.88
TRT120-3.0x06	3' x 6'	18.0	270	2.25
TRT120-3.0x08	3' x 8'	24.0	360	3.00
TRT120-3.0x10	3' x 10'	30.0	450	3.75




(TRT120-3x6 shown above)



TEMPZONE™

SHOWER FLOOR & BENCH MATS



TempZone™ Shower Mats have been exclusively designed to provide warmth for two areas in the shower: the floor and shower bench.

TempZone™ Shower Floor Mats ensure that the first step into your shower is a warm and soothing experience. The Shower Floor Mats are engineered to cover traditional shower floor areas with allowance for the shower drain. Each Shower Floor Mat is designed with a wire-free drain for fast and easy installation. Now that's smart.

TempZone™ Shower Bench Mats

For tile and stone floor warming applications

CODE	WIDTH	LENGTH	SQ.FT.	WATTS	AMPS
TRT120-1.0x2.7	11.5"	32.0"	2.6	39	0.33
TRT120-1.3x2.7	16.0"	32.0"	3.6	54	0.45

TempZone™ Shower Floor Mats

For tile and stone floor warming applications

CODE	WIDTH	LENGTH	SQ.FT.	WATTS	AMPS
TRT120-2.7x2.7	32.0"	32.0"	7.1	107	0.89
TRT120-2.7x5.0	32.0"	60.0"	13.3	200	1.67
TRT120-4.0x4.0	48.0"	48.0"	16.0	240	2.00

The TempZone™ Shower Bench Mats guarantee that the time spent in your shower will be warm and relaxing. The Shower Bench Mats are configured to fit the slim design of shower benches. Each size is smartly designed to cover a standard bench width and length.

TempZone™ Shower Floor Mats and Bench Mats are


- Wet location approved
- No-cut, one piece, easy to install
- 15 watts per square foot, 1/8" thick
- c-UL-us Listed

**The UL Listing for this product covers use in wet locations for CANADA only. Wet location installation in United States shall be in accordance with the National Electric Code, NFPA 70 and any other applicable jurisdictional code and final acceptance is to be made by the Authority Having Jurisdiction (AHJ).*



TEMPZONE™

FLOOR HEATING CABLES



TempZone™ Floor Heating Cable (Twin) brings radiant warmth and comfort to any room. This free-form cable provides the ultimate in flexibility, making it easy to customize installation for rooms of any size and shape. While ideally suited to provide complete floor heating coverage of rooms with unusual dimensions, the TempZone™ Floor Heating Cable (Twin) can be used in any room, providing an alternative for installers who prefer the flexibility and freedom of working with loose cable.

- For use under tile, stone, hardwood, engineered hardwood, and laminate flooring
- Flexible, full heating coverage for spaces of any shape or size
- Works perfectly with most popular underlayments
- Wattage:
 - Up to 15 watts/sq. ft. at 3" spacing
 - Up to 11 watts/sq. ft. at 4" spacing
- 25-year No Nonsense™ Warranty
- c-UL-us Listed

* TempZone™ Flex Rolls, Easy Mats and Cables are tested and certified to the Canadian CSA standard for wet locations.

120 Volt TEMPZONE™ Floor Heating Cables (Twin)

For tile, stone and hardwood floor warming applications

CODE	DIMENSIONS	WATTS	AMPS
TCT120-3.7W-030	30'	111.0	1.0
TCT120-3.7W-040	40'	148.0	1.3
TCT120-3.7W-050	50'	185.0	1.6
TCT120-3.7W-070	70'	259.0	2.2
TCT120-3.7W-090	90'	333.0	2.8
TCT120-3.7W-120	120'	444.0	3.7
TCT120-3.7W-150	150'	555.0	4.7
TCT120-3.7W-180	180'	666.0	5.6
TCT120-3.7W-220	220'	814.0	6.8
TCT120-3.7W-260	260'	962.0	8.1
TCT120-3.7W-300	300'	1,110.0	9.3
TCT120-3.7W-340	340'	1,258.0	10.5
TCT120-3.7W-375	375'	1,388.0	11.6
TCT120-3.7W-432	432'	1,598.0	13.4

240 Volt TEMPZONE™ Floor Heating Cables (Twin)

For tile, stone and hardwood floor warming applications

CODE	DIMENSIONS	WATTS	AMPS
TCT240-3.7W-055	55'	204.0	0.9
TCT240-3.7W-065	65'	241.0	1.1
TCT240-3.7W-075	75'	278.0	1.2
TCT240-3.7W-095	95'	352.0	1.5
TCT240-3.7W-115	115'	426.0	1.8
TCT240-3.7W-155	155'	574.0	2.4
TCT240-3.7W-195	195'	722.0	3.1
TCT240-3.7W-235	235'	870.0	3.7
TCT240-3.7W-275	275'	1,018.0	4.3
TCT240-3.7W-315	315'	1,166.0	4.9
TCT240-3.7W-355	355'	1,314.0	5.5
TCT240-3.7W-395	395'	1,462.0	6.1
TCT240-3.7W-435	435'	1,610.0	6.8
TCT240-3.7W-515	515'	1,906.0	8.0
TCT240-3.7W-595	595'	2,202.0	9.2
TCT240-3.7W-675	675'	2,498.0	10.5
TCT240-3.7W-749	749'	2,771.0	11.6
TCT240-3.7W-864	864'	3,197.0	13.4



ENVIRON™

FLEX ROLLS

WarmlyYours was the first to introduce nonadhesive, foil, electric floor heating to the North American market, and we have over a decade of experience with this advanced design heating technology. At 12 watts per square foot, the energy-efficient Environ™ systems allow for gradual warming of delicate carpet and floating wood floor coverings.



The Environ™ Flex Rolls are flexible and specifically designed for easy installation under carpet, laminate or floating wood flooring. They can be cut and turned at 90° or 180° to provide thorough wall-to-wall coverage of larger spaces.

- Ideal for in-field flexibility
- Full coverage for any size space
- Ideal for installation beneath carpet or laminate flooring
- 12 watts per square foot
- c-UL-us Listed

120 Volt ENVIRON™ Flex Rolls

For carpet, floating wood, and laminate floor warming applications

CODE	WIDTH	LENGTH	SQ.FT.	WATTS	AMPS
ERT120-1.5x06	1'6"	6'	9.0	108	0.90
ERT120-1.5x08	1'6"	8'	12.0	144	1.20
ERT120-1.5x10	1'6"	10'	15.0	180	1.50
ERT120-1.5x12	1'6"	12'	18.0	216	1.80
ERT120-1.5x14	1'6"	14'	21.0	252	2.10
ERT120-1.5x16	1'6"	16'	24.0	288	2.40
ERT120-1.5x18	1'6"	18'	27.0	324	2.70
ERT120-1.5x20	1'6"	20'	30.0	360	3.00
ERT120-1.5x25	1'6"	25'	37.5	450	3.75
ERT120-1.5x30	1'6"	30'	45.0	540	4.50
ERT120-1.5x35	1'6"	35'	52.5	630	5.25
ERT120-1.5x40	1'6"	40'	60.0	720	6.00
ERT120-1.5x45	1'6"	45'	67.5	810	6.75

Environ™ Flex Rolls cannot be used under carpet in Canada. U.S. only.

240 Volt ENVIRON™ Flex Rolls

For carpet, floating wood, and laminate floor warming applications

CODE	WIDTH	LENGTH	SQ.FT.	WATTS	AMPS
ERT240-1.5x06	1'6"	6'	9.0	108	0.45
ERT240-1.5x08	1'6"	8'	12.0	144	0.60
ERT240-1.5x10	1'6"	10'	15.0	180	0.75
ERT240-1.5x14	1'6"	14'	21.0	252	1.05
ERT240-1.5x20	1'6"	20'	30.0	360	1.50
ERT240-1.5x25	1'6"	25'	37.5	450	1.88
ERT240-1.5x30	1'6"	30'	45.0	540	2.25
ERT240-1.5x35	1'6"	35'	52.5	630	2.63
ERT240-1.5x40	1'6"	40'	60.0	720	3.00
ERT240-1.5x45	1'6"	45'	67.5	810	3.38
ERT240-1.5x50	1'6"	50'	75.0	900	3.75
ERT240-1.5x60	1'6"	60'	90.0	1,080	4.50
ERT240-1.5x70	1'6"	70'	105.0	1,260	5.25
ERT240-1.5x80	1'6"	80'	120.0	1,440	6.00
ERT240-1.5x90	1'6"	90'	135.0	1,620	6.75

Environ™ Flex Rolls cannot be used under carpet in Canada. U.S. only.



ENVIRON™

EASY MATS



Environ™ Easy Mats can simply be installed “as is”. No cutting is required, allowing for more targeted coverage, and they are available in a variety of rectangular sizes to choose from. The wafer thin mat installs directly between the pad and carpet or floating wood flooring to heat the floor and provide even, comfortable warmth for the entire room.

- Provides blanket coverage heating for large areas, such as a family room or basement
- No-cut, one-piece
- 12 watts per square foot
- c-UL-us Listed

120 Volt ENVIRON™ Easy Mats

For carpet, floating wood, and laminate floor warming applications

CODE	DIMENSIONS	SQ.FT.	WATTS	AMPS
510-10-120-A	5' x 10' panel - Flat Cold Lead	50.0	583	4.86
515-10-120-A	5' x 15' panel - Flat Cold Lead	75.0	828	6.90
66-10-120-A	6' x 6' panel - Flat Cold Lead	36.0	457	3.81
610-10-120-A	6' x 10' panel - Flat Cold Lead	60.0	724	6.03

Environ™ Easy Mats cannot be used under carpet in Canada. U.S. only.

240 Volt ENVIRON™ Easy Mats

For carpet, floating wood, and laminate floor warming applications

CODE	DIMENSIONS	SQ.FT.	WATTS	AMPS
510-10-240-A	5' x 10' panel - Flat Cold Lead	50.0	584	2.43
515-10-240-A	5' x 15' panel - Flat Cold Lead	75.0	873	3.64
66-10-240-A	6' x 6' panel - Flat Cold Lead	36.0	457	1.90
610-10-240-A	6' x 10' panel - Flat Cold Lead	60.0	753	3.14

Environ™ Easy Mats cannot be used under carpet in Canada. U.S. only.




INDOOR SLAB

HEATING MATS

Concrete floor heating offers one more opportunity for your clients to enjoy radiant heat in a basement, garage or sunroom addition. Our slab heating mats warm naturally cold concrete efficiently and economically. WarmlyYours engineers will design your slab heating system complete with recommended controls.

Our indoor slab heating mats come in a range of options to meet the demands of any installation:

- Install in concrete
- Warm concrete efficiently and economically
- Quick and easy to install
- Available in 18" (46 cm) or 36" (91 cm) widths
- Available in lengths ranging from 11' (3.35 m) to 112' (34.14 m)
- Offered in 120V or 240V configurations
- Rated at 20 watts per square foot
- CSA Listed



120 Volt INDOOR SLAB HEATING MATS

For installation in concrete

CODE	DIMENSIONS	SQ.FT.	WATTS	AMPS
WSHM-120-15011	1.5' X 11'	16.5	330	2.75
WSHM-120-15016	1.5' X 16'	24.0	480	4.00
WSHM-120-15022	1.5' X 22'	33.0	660	5.50
WSHM-120-03017	3.0' X 17'	51.0	1,020	8.50
WSHM-120-15036	1.5' X 36'	54.0	1,080	9.00
WSHM-120-15040	1.5' X 40'	60.0	1,200	10.00
WSHM-120-03021	3.0' X 21'	63.0	1,260	10.50
WSHM-120-03025	3.0' X 25'	75.0	1,500	12.50
WSHM-120-15056	1.5' X 56'	84.0	1,680	14.00
WSHM-120-03029	3.0' X 29'	87.0	1,740	14.50

240 Volt INDOOR SLAB HEATING MATS


For installation in concrete

CODE	DIMENSIONS	SQ.FT.	WATTS	AMPS
WSHM-240-15064	1.5' X 64'	96.0	1,920	8.00
WSHM-240-15070	1.5' X 70'	105.0	2,100	8.75
WSHM-240-03040	3.0' X 40'	120.0	2,400	10.00
WSHM-240-15085	1.5' X 85'	127.5	2,550	10.63
WSHM-240-03044	3.0' X 44'	132.0	2,640	11.00
WSHM-240-15095	1.5' X 95'	142.5	2,850	11.88
WSHM-240-03048	3.0' X 48'	144.0	2,880	12.00
WSHM-240-03052	3.0' X 52'	156.0	3,120	13.00
WSHM-240-15112	1.5' X 112'	168.0	3,360	14.00
WSHM-240-03056	3.0' X 56'	168.0	3,360	14.00



INDOOR SLAB

HEATING CABLES



Electric slab heating cables are an economical alternative to our slab heating mats, allowing you to space the cable at varying widths depending on your floor warming needs. Our cable product is priced lower than our mats and is designed for maximum flexibility to heat a variety of room shapes and sizes.

- Installs in concrete or in mortar under pavers
- Quick and easy to install
- Available in lengths ranging from 57' (17.3 m) to 563' (171.6 m)
- Offered in 120V or 240V configurations
- 6 watts per linear foot
- Energy-efficient, twin-conductor heating cable
- CSA Listed

120 Volt INDOOR SLAB HEATING CABLES

For installation in concrete and in mortar under pavers, tile or stone

CODE	CABLE LENGTH	WATTS	AMPS
WSHC-120-00057	57'	330	2.75
WSHC-120-00082	82'	480	4.00
WSHC-120-00112	112'	660	5.50
WSHC-120-00172	172'	1,020	8.50
WSHC-120-00182	182'	1,080	9.00
WSHC-120-00202	202'	1,200	10.00
WSHC-120-00252	252'	1,500	12.50
WSHC-120-00292	292'	1,740	14.50

240 Volt INDOOR SLAB HEATING CABLES

For installation in concrete and in mortar under pavers, tile or stone

CODE	CABLE LENGTH	WATTS	AMPS
WSHC-240-00323	323'	1,920	8.00
WSHC-240-00353	353'	2,100	8.75
WSHC-240-00402	402'	2,400	10.00
WSHC-240-00443	443'	2,640	11.00
WSHC-240-00483	483'	2,880	12.00
WSHC-240-00523	523'	3,120	13.00
WSHC-240-00563	563'	3,360	14.00



The nSpiration Series of **FLOOR** HEATING CONTROLS

Sometimes all you need is a little nSpiration.



nSpire Touch WiFi (Thermostat)

This programmable model features touchscreen operation, an easy-to-use Install Wizard, and easy access to a detailed log of its energy use. Its WiFi capability also means that a user can operate their heating system remotely. It can even provide the user with weather reports, which could make leaving your house difficult on some winter mornings.


- Item number: UWG4-4999
- 3.5" color display
- Built-in GFCI safety
- c-UL-us Class A approved
- Dual voltage: 120 V and 240 V
- Max load: 15 Amps
- Includes in-floor sensor
- 3-year warranty



nSpire Touch (Thermostat)

Like the nSpire Touch WiFi, this programmable model also features touchscreen operation, an easy-to-use Install Wizard, and easy access to a detailed log of its energy use. In addition to its modern design, the nSpire Touch provides the user with the ability to easily program their radiant heating system to match their needs..

- Item number: UDG4-4999
- 3.5" color display
- Built-in GFCI safety
- c-UL-us Class A approved
- Dual voltage: 120 V and 240 V
- Max load: 15 Amps
- Includes in-floor sensor
- 3-year warranty



nHance (Thermostat)

This programmable model is button-operated and represents a blend of style and usability. By giving the user control over the programming, this model excels at providing optimal comfort with minimal energy consumption.

- Item number: UDG-4999
- Large back-lit display for easy reading
- Built-in GFCI safety
- c-UL-us Class A approved
- Dual voltage: 120 V and 240 V
- Max load: 15 Amps
- Includes in-floor sensor
- 3-year warranty



nTrust (Thermostat)

This non-programmable model is button-operated and is perfect for anyone who wants a thermostat that is both easy to install and easy to look at. It's sleek, minimalist appearance blends well with almost any design theme and operating it couldn't be simpler.

- Item number: UTN4-4999
- Large back-lit display for easy reading
- Built-in GFCI safety
- c-UL-us Class A approved
- Dual voltage: 120 V and 240 V
- Max load: 15 Amps
- Includes in-floor sensor
- 3-year warranty



nJoin (Power Module)

This sleek and modern-looking power module links up to any WarmlyYours thermostat in the nSpiration series to increase electrical output in 15 amp increments to allow for heating large applications or additional areas. Simply put, if you need to heat a larger area with one master thermostat, the nJoin power module/s can help.


Note: The WarmlyYours nJoin power module must be used in conjunction with a qualifying master thermostat.

- Item number: USG-4000
- Built-in GFCI safety
- c-UL-us Class A approved
- Dual voltage: 120 V and 240 V
- Max load: 15 Amps
- 3-year warranty



FLOOR HEATING

UNDERLAYMENT



Depending on what products you are using to install your heated flooring system, you'll choose between two cork underlayment options. Real cork is ideal for concrete slabs, however our synthetic product is the preferred underlayment for radiant tile and stone floor heating. Underlayment options increase energy efficiency with heated floors and they are also heat and cold resistant. Perhaps most importantly, they will not rot, absorb moisture, or support mold or mildew. This extends the life of your floors and provides a cost effective method for installing the best radiant heating floor system available.

If you've been considering installing a heated floor in your home, you should consider the benefits of using CeraZorb® Synthetic Cork Underlayment or standard Cork Underlayment sheets. With a limited warranty included in the purchase, you can trust that WarmlyYours products will stand the test of time in your home. To find out more about which underlayment option you should choose for your heated floor, contact WarmlyYours today.



CeraZorb® Synthetic Cork Underlayment

- Available in 4x2 sheets that cover 8 sq ft. at 3/16" (5mm) thickness.
- A minimum order of 4 sheets is required.
- Recommended when installing your TempZone™ floor heating system over a concrete slab.
- Can be set under tile and stone, over any acceptable sub floor.
- Up to 25 times lighter than 1/4" backer board.
- Lightweight, only 28 lbs. per 400 sq. ft. box.
- Heat and cold resistant, and will not rot, support mold and mildew, or absorb moisture.
- Stable and durable, remaining unchanged after repeated impact loads.



Cork Underlayment

- Recommended when installing your Environ™ Easy Mats floor heating system over a concrete slab.
- Cork underlayment installed on slab creates a thermal break and increases the energy efficiency of the system.
- Available in sheets that are 1/4" (6mm) thick by 24" (61mm) wide by 36" (91mm) long.
- Limited 10-year Warranty.
- A minimum order of 4 sheets is required.



Prodeso Cable Installation Membrane

- Installed directly over the entire subfloor as an uncoupling, crack isolating membrane
- Available in 2 rolls sizes; 161.5 sq. ft and 54 sq. ft.
- Also available in sheets of 7.9 sq.ft. (3.3 ft. x 2.4 ft.)

ACCESSORIES

ELECTRICAL ROUGH-IN KITS

Whether you're a homeowner or trade professional, it's vital to have the right tools for your radiant heating project. To provide this peace of mind, WarmlyYours has developed our Electrical Rough-In Kits that cover any local electrical code. These kits include everything you need to safely and correctly install a thermostat.

Our kits are available with either single-gang or double-gang boxes.



Electrical Rough-in Kit with 2 Conduits

This is a great option for areas where the local code requires a separate conduit for low-voltage wires. With everything an electrician will need to install and connect a thermostat in accordance with this type of electrical code, this kit has you covered.



Electrical Rough-in Kit with Conduit

Getting the job done correctly has never been easier with this complete electrical kit. It contains everything an electrician needs to install and connect a thermostat with an electric radiant heating system in accordance with National Electric Code.



Electrical Rough-in Kit without Conduit

This kit was developed for projects in which the local electrical code does not require conduit for the low-voltage sensor wire or the power leads. It includes everything an electrician will need for installing and connecting a thermostat.

INSTALLATION KITS

FOR TEMPZONE™ FLOOR HEATING



Platinum Installation Kit

The Platinum Installation Kit offers all the accessories needed to install a WarmlyYours TempZone™ floor-heating system — from underlayment to finish.



Gold Installation Kit

This kit is recommended for two-step installations that do not require underlayment. This package includes a finishing trowel and a dense rubber float.



Silver Installation Kit

This kit was developed for larger one-step electric floor heating installations. A step up from our Basic Installation Kit, this package includes an Epoxy Grout Float.



Basic Installation Kit

This kit was designed for experienced trade professionals and DIYers who are conducting small, one-step electric floor heating installations.



SNOW MELTING MATS



Designed for quick and easy installation, our snow melting mats are perfect for walkways, driveways and patios. The paving material absorbs heat and melts snow and ice, eliminating the need for, and expense of, plowing or deicing chemicals.

- Mats install directly in concrete, asphalt or in mortar beneath pavers
- Equipped with 20' (6 m) of cold lead for easy power hookup
- Cable spacing provides 50 watts per square foot (538 watts per square meter) on average
- Available in 2' (61 cm) and 3' (91 cm) widths and lengths ranging from 5' (152 cm) to 50' (1,524 cm)
- Each mat features 1/4" (6 mm) diameter, twin conductor, series resistance, constant wattage cable spaced 3" (8 cm) apart
- CSA Certified for use in Canadian and U.S. markets
- CSA Listed
- 10-year limited warranty

120 Volt SNOW MELTING MATS

For installation in asphalt, concrete and mortar under pavers

CODE	DIMENSIONS	SQ.FT.	WATTS	AMPS
WHMA-120-0205	2' x 5'	10.0	500	4.17
WHMA-120-0305	3' x 5'	15.0	750	6.25
WHMA-120-0210	2' x 10'	20.0	1,000	8.33
WHMA-120-0310	3' x 10'	30.0	1,500	12.50
WHMA-120-0215	2' x 15'	30.0	1,500	12.50
WHMA-120-0315	3' x 15'	45.0	2,250	18.75

240 Volt SNOW MELTING MATS


For installation in asphalt, concrete and mortar under pavers

CODE	DIMENSIONS	SQ.FT.	WATTS	AMPS
WHMA-240-0210	2' x 10'	20.0	1,001	4.17
WHMA-240-0215	2' x 15'	30.0	1,500	6.25
WHMA-240-0220	2' x 20'	40.0	1,999	8.33
WHMA-240-0230	2' x 30'	60.0	3,000	12.50
WHMA-240-0240	2' x 40'	80.0	4,001	16.67
WHMA-240-0250	2' x 50'	100.0	5,009	20.87
WHMA-240-0310	3' x 10'	30.0	1,500	6.25
WHMA-240-0315	3' x 15'	45.0	2,251	9.38
WHMA-240-0320	3' x 20'	60.0	3,000	12.50
WHMA-240-0330	3' x 30'	90.0	4,500	18.75



SNOW

MELTING CABLE



Snow melting cable is ideal for heating an oddly shaped driveway or patio. Our cables are designed for maximum flexibility, making them perfect for all types of unusually shaped areas and stairways.

- Cables install directly in concrete, asphalt or mortar beneath pavers
- Equipped with 20' of cold lead, 50' for 208V & 277V
- CSA Listed for use in Canadian and U.S. markets
- Generates 12 watts per lineal foot
- 1/4" (6 mm) twin-conductor series resistance cable
- Available in lengths ranging from 43' (13.1 m) to 428' (134.5 m)
- 10-year limited warranty

** The 240V rated cable may also be used for commercial applications at 208V or 277V.*

120 Volt SNOW MELTING CABLES

For installation in asphalt, concrete and mortar under pavers

CODE	DIMENSIONS	SQ.FT.	WATTS	AMPS
WHCA-120-0043	43.0'	10.8	500	4.17
WHCA-120-0063	63.0'	15.8	750	6.25
WHCA-120-0086	85.5'	21.5	1,000	8.33
WHCA-120-0126	125.5'	31.5	1,500	12.50
WHCA-120-0188	188.0'	47.0	2,250	18.75

240 Volt SNOW MELTING CABLES

For installation in asphalt, concrete and mortar under pavers

CODE	DIMENSIONS	SQ.FT.	WATTS	AMPS
WHCA-240-0086	85.5'	21.5	1,000	4.17
WHCA-240-0128	128.0'	32.0	1,500	6.25
WHCA-240-0171	171.0'	42.8	1,999	8.33
WHCA-240-0188	188.0'	47.0	2,251	9.38
WHCA-240-0251	251.0'	62.8	3,000	12.50
WHCA-240-0342	342.0'	85.5	4,001	16.67
WHCA-240-0377	376.5'	94.3	4,500	18.75
WHCA-240-0428	428.0'	107.0	5,009	20.87

208 Volt SNOW MELTING CABLES

For installation in asphalt, concrete and mortar under pavers

CODE	DIMENSIONS	SQ.FT.	WATTS	AMPS
WHCA-208-0100	100.0'	25.00	1,200	5.8
WHCA-208-0128	128.0'	32.00	1,530	7.4
WHCA-208-171	171.0'	42.75	2,000	9.7
WHCA-208-0200	200.0'	50.00	2,400	11.6
WHCA-208-0251	251.0'	62.75	3,000	14.5
WHCA-208-0342	342.0'	85.50	4,000	19.3
WHCA-208-0377	377.0'	94.13	4,500	21.7

277 Volt SNOW MELTING CABLES

For installation in asphalt, concrete and mortar under pavers

CODE	DIMENSIONS	SQ.FT.	WATTS	AMPS
WHCA-277-0100	100.0'	25.00	1,200	4.4
WHCA-277-0128	128.0'	32.00	1,530	5.6
WHCA-277-0171	171.0'	42.75	2,000	7.3
WHCA-277-0200	200.0'	50.00	2,400	8.7
WHCA-277-0251	251.0'	62.75	3,000	10.9
WHCA-277-0342	342.0'	85.50	4,000	14.5
WHCA-277-0377	377.0'	94.13	4,500	16.3
WHCA-277-0428	428.0'	107.00	5,000	18.1
WHCA-277-0502	502.0'	125.50	6,000	21.7



ICE SHIELD

ROOF & GUTTER DEICING



When ice and snow accumulate on a building's roof or gutters, they can cause ice dams, which can lead to significant water damage requiring costly repairs. Thankfully, WarmlyYours offers systems for deicing roofs and gutters before problems occur. Equipped with temperature and moisture sensors, WarmlyYours Ice Shield Roof & Gutter Deicing Systems detect and begin melting snow and ice, creating a pathway for water to drain properly and avoiding potential damage.

Technical Information

- 16 AWG nickel-coated copper bus wires
- cULus rated high-quality heating cable
- 120 VAC and 240 VAC available*

Features & Benefits

- *Rated for residential, commercial and industrial applications*
- *Cost-effective solution against ice damming*
- *Variable temperature output*
- *Flexible cable placement and positioning*
- *Hardwired and cut-to-length by installer*
- *UV Stabilized Polyolefin Weatherproof Outer Jacket*
- *Backed by WarmlyYours 3-year warranty*

*** 30mA trip type GFPE ground fault protection breakers are required for each heater circuit. Breakers that meet this rating should be installed by a qualified electrician.*

ICE SHIELD ACCESSORIES

Part#	Description
ET-PWR-KIT	Power connection kit with end seal termination
AL-CL-P25	Aluminum 3-prong clips attach to asphalt shingles and metal gutters and roofs (25)
VHB-PAD-P25	Double sided tape pads for AL-CL clips (sold in pkgs of 25)
94-PRIMER	1 Quart Primer - Adheres clips to EPDM or Rubber

ICE SHIELD ROOF & GUTTER DEICING CABLES

Rated for residential, commercial and industrial applications

Part#	Voltage	Watts per Foot (Dry vs. in Ice)
ET-SR-120	120 VAC	5 Watts per ft dry / 9.2 Watts per ft in Ice
ET-SR-240	208 VAC 1-phase	4 Watts per ft dry / 8.1 Watts per ft in Ice
ET-SR-240	240 VAC	5 Watts per ft dry / 9.2 Watts per ft in Ice
ET-SR-240	277 VAC	6 Watts per ft dry / 10.2 Watts per ft in Ice

Maximum Circuit Length Chart

Length of cable allowed per voltage and breaker size

120 VAC CABLE				240 VAC CABLE			
Start-Up Temperature	15A	20A	30A	Start-Up Temperature	15A	20A	30A
0°F	107 Ft	142 Ft	214 Ft	0°F	214 Ft	286 Ft	429 Ft



SNOW MELTING

CONTROL PACKAGES

All WarmlyYours snow melt controls are either CSA Certified or UL Listed for use in Canadian and U.S. markets and backed by a 2-year limited warranty. Choose from the following options to meet your specific project needs.

Power Modulator with Aerial Sensor Control Package

Offers the ability to save money and handle a higher amount of power than the average control. The electrical boxes reduce spending by offering a built-in GFS (ground fault sensor). This eliminates the need for a GFEP (ground fault equipment protection) breaker for every heating element, which adds significant cost to the project. Plus, an included upper limit temperature sensor saves energy.



Premium with Aerial Sensor Control Package

Offers the maximum flexibility of installation for use with asphalt, concrete or pavers. Includes SCP-120 premium control with high-limit sensor probe, AIR-SS aerial sensor, RLY-series relay panel and SMP snow melt plaque.



Our experts can answer any technical questions on any product we offer, 24/7



Economy with Slab Sensor Package

Offers the fastest response time with the sensor in direct contact with the asphalt or concrete to be heated. Includes SCE-120 economy control, SLAB-SS slab sensor, RLY-series relay panel and SMP snow melt plaque.



Manual Dial Timer Control Package

Offers manual control with the owner determining the hours of operation. Includes SCM-120 timer control, RLY series relay panel and SMP snow melt plaque.



Value with Aerial Sensor Package

The most cost-effective solution for automatic operation of a snow melting system. The Value Snow Melt Control includes a SCV-DUAL control and SMP snow melt plaque. A RLY-series relay panel is required only for systems that draw over 16 amps of current.



Advanced with Aerial Sensor Package

The SCA-DUAL enables automatic control of snow melting and roof and gutter deicing systems to minimize operating costs. The control includes an adjustable hold-on timer to continue heater operation up to 8 hours after snow and ice accumulation stop to ensure complete melting.



TOWEL WARMERS

(Plug-In)

WarmlyYours offers professionally crafted electric towel warmers that fit any budget or decorative style. With several styles, price points, and finishes, our towel warmers are manufactured with superior quality metals and hand-finished for durability and comfort.

Our hidden wiring mounts offer single-stud installation for flexibility of placement. Our towel warmer collection features both hardwired and convenient plug-in models.



The Elements

Model: TW-E4PCP / TW-E4PCP-WS
(with WeMo® Wifi Plug-in Switch)
Size: 16.3" W x 28.5" H x 3.5" D
Voltage: 120V (6' ½" plug-in line cord located at bottom)
Watts: 60 watts
Towel bars: 4
Mounting: Wall Mounted
Warranty: 2 Years
Control: Plug-in, on/off switch,
WeMo® Wifi Plug-in Switch (with bundle only)
Finish: Polished Chrome



The Studio

Model: TW-ST-C06PS-PL / TW-ST-C06PS-PL-WS
(with WeMo® Wifi Plug-in Switch)
Size: 21.25"W x 27.75"H x 4.4"D
Voltage: 120V (5' plug-in line cord located at bottom right)
Watts: 80 watts
Towel bars: 6
Mounting: Wall Mounted
Warranty: 2 Years
Control: Plug-in, on/off switch,
WeMo® Wifi Plug-in Switch (with bundle only)
Finish: Polished and brushed stainless steel finishes



The Barcelona

Model: TW-BC-08BS-FS / TW-BC-08BS-FS-WS
(with WeMo® Wifi Plug-in Switch)

Size: 24" W x 36" H

Voltage: 120V (5' plug-in pigtail cord located at bottom right)

Watts: 150 watts

Towel bars: 8

Mounting: Freestanding

Warranty: 2 Years

Control: Plug-in, on/off switch, WeMo® Wifi Plug-in Switch (with bundle only)

Finish: Brushed Stainless Steel



The Infinity (plug-in)

Model: TW-F10BS-PL / TW-F10BS-PL-WS
(with WeMo® Wifi Plug-in Switch)

Size: 23 5/8" W x 32" H x 4 3/4" D

Voltage: 120V (5' 1/3" plug-in pigtail cord located at bottom right)

Watts: 150 watts

Towel bars: 10

Mounting: Wall Mounted

Warranty: 2 Years

Control: Plug-in, on/off switch, WeMo® Wifi Plug-in Switch
(with bundle only)

Finish: Brushed Stainless Steel





TOWEL

WARMERS

(Hardwired)



The Infinity (hardwired)

Model: TW-F10BS-HW
Size: 23 5/8" W x 32" H x 4 3/4" D
Voltage: 120V (hardwires at bottom right)
Watts: 150 watts
Towel Bars: 10
Mounting: Wall Mounted
Warranty: 2 Years
Control: Includes a programmable timer or
WeMo® WiFi Switch control
Finish: Brushed Stainless Steel



The Sierra

Model: TW-SR-08PS-HW
Size: 23 5/8"W x 31 1/2 "H
Voltage: 120V (hardwires at bottom right)
Watts: 150 watts
Towel Bars: 8
Mounting: Wall Mounted
Warranty: 2 Years
Control: Includes a programmable timer or
WeMo® WiFi Switch control
Finish: Polished Stainless Steel



The Riviera

Model: TW-R09PS-HW (Polished Stainless Steel) / TW-R09BS-HW (Brushed Stainless Steel)

Size: 24"W x 32"H x 5"D

Voltage: 120V (hardwires at bottom right)

Watts: 150 watts

Towel Bars: 9

Mounting: Wall Mounted

Warranty: 2 Years

Control: Includes a programmable timer or WeMo® WiFi Switch control

Finish: Polished or Brushed Stainless Steel



The Metropolitan

Model: TW-MT-10PS-HW

Size: 19.75"W x 41.5" H x 5"D

Voltage: 120V (hardwires at bottom right)

Watts: 150 watts

Towel bars: 10

Mounting: Wall Mounted

Warranty: 2 Years

Control: Includes a programmable timer or WeMo® WiFi Switch control

Finish: Polished Stainless Steel





LAVA®

RADIANT HEATING PANELS



The LAVA® radiant heating panel, voted by industry leaders as the 2011 Kitchen and Bath Industry “Best of Show” winner, is a state-of-the-art, glass, radiant heating system that will provide you with unparalleled heating performance. With the ECO-LAVA® principle, you will maintain the same warmth as a regular heating system at a lower capacity. Our radiant panels not only provide heat, but also enrich interior design with several elegant designs to choose from.

- LAVA Mirror offers 3-in-1 technology: works as a mirror defogger, towel warmer and a heating element
- Versatile: central or auxiliary heating for isolated living spaces
- A functional piece of art (heat source with artistic design)
- Easy installation
- Energy efficient (reduce your heating expenses by up to 12%)
- Healthy infrared heat (ideal for allergy sufferers)
- Environmentally friendly
- Space saver: mounts on wall horizontally or vertically



LAVA® Mirror

- All LAVA© Mirror systems can be fixed to a wall horizontally or vertically
- Beautiful accent for any bathroom; replacement for a traditional mirror
- Available in four sizes
- Available in 250W, 500W, 750W and 1000W varieties at 120V



LAVA® Crystal

- All LAVA© Crystal systems can be fixed to a wall horizontally or vertically
- Available in two exceptional designs
- Proud winner - Best of Show in the 2011 Best of KBIS New Products Pavilion
- Available in three sizes
- Available in 500W, 750W and 1000W varieties at 120V



LAVA® Light

- All LAVA© Light systems can be fixed to a wall horizontally or vertically
- Available in two sizes
- Available in 350W and 500W varieties at 120V



LAVA® Glass

- All LAVA© Glass systems can be fixed to a wall horizontally or vertically
- Colors available: Pure White, White Green, Red and Black
- Available in four sizes
- Available in 250W, 500W, 750W, and 1000W varieties at 120V



LAVA® Accessories

- LED Light
- LAVA® Rounded Towel Bar
- LAVA® Flat Towel Bar



EMBER

RADIANT HEATING PANELS

The Ember® Glass range offers an affordable way to add style and warmth to any room. The panels can be affixed to a wall horizontally or vertically — and they can even be mounted to the ceiling with our Ceiling Mounting Kit accessory. Towel bars are also available as accessories for vertically mounted panels. Ember® Glass panels come with an industry-leading 5-year warranty.

- Can be mounted horizontally or vertically
- Available in Black or White colors
- Add-on accessories include a Ceiling Mounting Kit and Towel Bars



Ember glass

Voltage: 120V (9' ¼" plug-in line cord)

Warranty: 5 Years

600 Watts: 35.4 in x 23.6 in x [900mm x 600mm]

800 Watts: 47.2 in x 23.6 in x [1,200mm x 600mm]

Accessories: Towel Bars, Ceiling Mounting Kit

Controls: Plug-in

Optional Controls: WeMo® WiFi Plug-in Switch, Lux thermostat




White



Black

Ember® Mirror panels are ideal for bathrooms, because they can effectively replace a traditional mirror and also function as a mirror defogger as they radiate warmth throughout the room. When mounted vertically, Towel Bar accessories can be added for an additional function. However, Ember® Mirror panels can also be a warm, stylish addition to any other room in a home. The panels are backed by a 5-year warranty.

- Can be mounted to a wall horizontally or vertically
- Function as a mirror, mirror defogger, heating element and towel warmer (with accessory added)
- Add-on accessories include a Ceiling Mounting Kit and Towel Bars



Ember mirror

Voltage: 120V (9' ¼" plug-in line cord)
Warranty: 5 Years
600 Watts: 35.4 in x 23.6 in x [900mm x 600mm]
Accessories: Towel Bars, Ceiling Mounting Kit
Controls: Plug-in
Optional Controls: WeMo® WiFi Plug-in Switch,
Lux thermostat




Ember Accessories

- Ceiling mounting kit
- Ember Flat Towel Bar



TOWEL WARMER & RADIANT PANEL CONTROLS

They're not just for floor heating—you can use any of the thermostats from our nSpire Series to control any hardwired radiant panel. Now the benefits of these great controls can be extended to towel warmers and radiant panels. The WeMo® WiFi Switch even gives you the opportunity to control your towel warmer remotely. Just imagine waking up on a cold morning and being able to ensure you'll have toasty towel waiting for you before you even leave your bed.



nSpire Touch WiFi



nSpire Touch



nHance




nTrust



Honeywell Programmable Timer

The Honeywell programmable timer enables users to schedule when their electric radiant heating devices should turn on and off. The Honeywell programmable timer is included in the purchase of all hardwired towel warmers.

- Can be operated manually and automatically
- Programming: Sunrise/sunset and/or particular on/off time



WeMo® WiFi Switch

The WeMo® WiFi Switch allows users to turn their hard-wired devices on or off — or even set schedules for them — using a mobile device. The WeMo® WiFi Switch also includes an Auto-off timer. The Auto-Off timer will allow you to set a duration that you want your WEMO to automatically turn itself off after you turn it on either with the physical power button or the virtual power button using the App. In order to be compatible with the control, Android devices must be running Android 4.0 or higher, and Apple devices must be running iOS 5 or higher.

- Available for hardwired towel warmers
- Integrates with IFTTT service
- Allows operation of hard-wired devices from anywhere



WeMo® WiFi Plug-in Switch

The WeMo® WiFi plug-in switch allows users to turn their plug-in devices on or off — or even set schedules for them — using a mobile device. The WeMo® WiFi Switch also includes an Auto-off timer. The Auto-Off timer will allow you to set a duration that you want your WEMO to automatically turn itself off after you turn it on either with the physical power button or the virtual power button using the App. In order to be compatible with the control, Android devices must be running Android 4.0 or higher, and Apple devices must be running iOS 5 or higher.

- Available for plug-in towel warmers and Ember® panels
- Integrates with IFTTT service
- Allows operation of plug-in devices from anywhere

LED MIRRORS

MARQUEES SERIES



Your mirror should reflect more than just your image—it should be a reflection of your lifestyle. The Marquee Series of LED Mirrors incorporates brilliant LED light, warmly diffused by frosted glass, into stylish mirror designs worthy of the Golden Era of Hollywood. These wall-mounted models are as functional as they are elegant. Each one features a silvered reflective surface, a polished exterior edge, and a white, powder-coated, stainless steel backing. Purchase a Marquee Series LED Mirror today, and you'll be sure that you're ready for your close-up.

Features:

- Easy hanging system features invisible rubber trim for waterproofing
- Projected lifetime of LED lights: 50,000 hours
- Hardwired installation (120 VAC) ensures no visible cords or plugs



The Audrey LED Mirror

Classic beauty and seamless functionality are a lot to ask of any mirror, but the Audrey delivers both with effortless poise. This timeless, rectangular model brings the linear charm of traditional design into the modern age with crisp, clean LED light, which shines through the Audrey's rectangular 1.5" frosted inner frame.

- Classic, elegant shape blends well with any design theme
- 1.5" frosted inner frame warmly diffuses LED light
- 5-year manufacturer's warranty



The Ingrid LED Mirror

Sometimes, a little goes a long way—nowhere is this more perfectly exemplified than in the Ingrid. This minimalist, rectangular model incorporates two frosted bars which imbue the LED light with a gentle and natural hue. The Ingrid's elegant design is simultaneously visually striking and perfectly organic—almost as if this is the way mirrors were always meant to be.

- Minimalist design easily incorporates into any aesthetic
- Twin frosted bars warmly diffuse LED light
- 5-year manufacturer's warranty



The Marilyn LED Mirror

Unique is beautiful—and the Marilyn is both. This curvaceous, circular mirror improves any room with vibrant LED light and an alluring, organic design. Highly efficient LED light flows through a 2" frosted inner circle, which gives the light a uniquely warm and generous hue.

- Distinctive, circular shape provides a natural focal point for room design
- 2" frosted inner circle warmly diffuses LED light
- 5-year manufacturer's warranty



The Grace LED Mirror

Your mirror is more than just your reflection—it's how you choose what the world will see. With the Grace, you can be certain that your reflection will show the star you really are. This regal model features brilliant LED light that radiates in all directions from the 3" frosted perimeter frame.

- Elegant design provides large, uninterrupted reflective surface
- 3" frosted exterior frame warmly diffuses LED light in all directions
- 5-year manufacturer's warranty




CLEARLY YOU™


MIRROR DEFOGGERS




Previously available only in spas or luxury hotels, now you can offer the clarity of a fog-free mirror for your customer's master bathroom. WarmlyYours electric mirror defogger transmits gentle warmth across the mirror's surface to prevent moisture from forming during bathing or showering. Self-adhesive backing allows direct application to the back of any wall-hung mirror in just minutes. WarmlyYours mirror defoggers come ready to install in several shapes and sizes. Pre-attached power leads conveniently connect to a bathroom's 120-volt lighting fixture. The mirror defoggers draw only a minimal amount of energy and operate at a constant, regulated temperature of 104 degrees. Not suitable for installation in the shower.



Rectangle



Oval



Circle

MIRROR DEFOGGERS

For installation behind mirrors.

Code	SHAPE	DIMENSIONS	WATTS
FFM-1218	Rectangle	12" (305mm) W x 18" (457mm) L	29
FFM-1824	Rectangle	18" (457mm) W x 24" (610mm) L	57
FFM-2432	Rectangle	24" (610mm) W x 32" (813mm) L	96
FFM-3040	Rectangle	30" (762mm) W x 40" (1,016mm) L	150
FFM-15R	Circle	15" (381mm) Diameter	20
FFM-20R	Circle	20" (508mm) Diameter	41
FFM-25R	Circle	25" (635mm) Diameter	65
FFM-1826OV	Oval	18" (457mm) W x 26" (660mm) L	45
FFM-2432OV	Oval	24" (610mm) W x 32" (813mm) L	76



FEELSWARM[®]


COUNTERTOP HEATING

Cozy up to the bar with WarmlyYours FeelsWarm[®] Countertop Heaters. These versatile radiant heating elements adhere to the underside of the countertop, gently raising the temperature of the heated area an additional 20-25 degrees Fahrenheit, taking the chilly edge off of granite, marble, quartz, and other stone surfaces wherever you gather for work or play. The ultra-slim profile of our electric radiant countertop heaters makes them virtually invisible, discreetly adding a new level of luxuriant comfort to your home or business.



WarmlyYours FeelsWarm[®] Countertop Heaters can be installed on new or existing stone countertops—perfect for overhangs on kitchen islands and peninsulas, bars, and even desks. Available in five popular sizes or custom-designed to fit your layout, they conveniently add luxurious radiant heat where you need it most.

**Only available in the U.S.*



Standard and Custom Mat Examples

STANDARD HEATER KIT

For stone countertops Kit Includes Heater, Transformer, Thermal Control Unit and Surface Preparation Kit.

SKU	DIMENSIONS	SQUARE FEET	WATTS	AMPS
CTHS-009-11x24-KIT	24' x 11'	1.8	33.0	3.70
CTHS-012-11x36-KIT	36' x 11'	2.8	50.5	4.30
CTHS-015-11x48-KIT	48' x 11'	3.7	68.0	4.60
CTHS-015-11x60-KIT	60' x 11'	4.6	85.4	5.70
CTHS-015-17x30-KIT	30' x 17'	3.5	67.6	4.60



MERCHANDISING

MATERIALS

WarmlyYours offers merchandising materials for our radiant heating products. We've featured some of our most popular items in this section. See our entire line of merchandising materials online at www.WarmlyYours.com.

Take-One Brochure


8" x 4" tri-fold take-one brochures. (50 per pack).

Sample Cards

Product sample cards with dealer imprint area on back. (4.5" x 4.5", 25 Per Pack)

TempZone™ Cable & Prodeso Sample

Product sample. (5" x 6", 1 sample)



Towel Warmer & Radiant Panel Catalog

Showcases our entire line of towel warmers, radiant panels and controls. (20, 40 or 60 Per Order)



Heated Tabletop Display

12" (305 mm) W x 16" (406 mm) H x 10 1/2" (267 mm) D heated tabletop display plugs into 120V outlet, with two take-one cups. Eligible for rebate.



Showroom In-floor Display Package

Available for retail showrooms only. The TempZone™ package, for use under tile, stone or hardwood floors, includes up to 36 square feet of floor heating, thermostat, cork insulation, metal insert tiles, circuit check and installation DVD. The Environ™ package, for use under carpet* or floating wood floor, includes a 2' x 5' heating mat and thermostat. Eligible for rebate.

*Not for use under carpet in Canada. US only.



Showroom Outdoor Display Package

Benefit from introducing your customers to outdoor radiant heating. Nothing is more convincing than feeling the radiant warmth first hand. Give your customers this unique WarmlyYours experience with a heated driveway, heated staircase or roof and gutter deicing display right at the entrance to your showroom. Experiencing the comfort and luxury of outdoor floor heating at the "time of sale" improves same-customer sales and attracts new customers to outdoor radiant heating solutions.



Towel Warmer

Our professionally crafted towel warmers are available in a variety of sizes and styles and designed to fit any budget. They make a key addition to any bathroom.


Sizes Vary, 1 Per Order



Underlayment Sample

Our CeraZorb® and Cork Insulation Boards increase energy efficiency and will not rot, absorb moisture, or support mold or mildew.

15 Sq. Ft.



Standard & Custom Heating Mats

Want to heat your own countertop display? Use our standard or custom countertop heating mats at a discounted price.

Sizes Vary



Radiant Panel

Our infrared radiant panels are available in a variety of sizes and colors, including a mirror finish. These panels offer a stylish solution to heating that can save energy costs and help eliminate allergens.

Sizes Vary, 1 Per Order



Branded WarmlyYours Towel

Show your customers the warmth and comfort your towel warmer or radiant panel with towel bar provides with our branded WarmlyYours towel.

1 Per Order



Countertop Heating Display Tile

Let customers feel countertop heating for themselves with our heated display tile. Plugs into 120 volt outlet.

12" x 12", 1 Per Order

WARMLYYOURS

LOCATIONS

WarmlyYours United States Corporate Headquarters

590 Telser Rd. Suite B
Lake Zurich, IL 60047
Phone: (800) 875-5285
Fax: (800) 408-1100

Visit us at
www.WarmlyYours.com and www.facebook.com/warmlyyours

WarmlyYours Canada

300 Granton Drive, Unit 4A
Richmond Hill, ON L4B1H7 Canada
Phone: (800) 875-5285
Fax: (800) 408-1100



590 Telser Rd.
Lake Zurich, IL 60047